

Which preventive care services are included in your Marketplace plan?

Preventive care services for adults

- Abdominal aortic aneurysm (one-time screening for male smokers)
- Alcohol misuse screening and behavioral counseling
- Aspirin use to help prevent heart attack or stroke
- Blood pressure screening
- Cholesterol screening (for anyone considered high risk)
- Colorectal cancer screening (for adults 50+)
- Depression screening
- Diabetes (Type 2) screening (for adults with high blood pressure)
- Diet counseling (for adults considered to be high risk for chronic disease)
- Hepatitis B screening
- Hepatitis C screening
- HIV screening
- Immunization vaccines (coverage may depend on the specific vaccine)
 - Diphtheria
 - Hepatitis A
 - Hepatitis B
 - Herpes Zoster
 - Human Papillomavirus (HPV)
 - Influenza (flu)
 - Measles
 - Meningococcal
 - Mumps

- Pertussis
- Pneumococcal
- Rubella
- Tetanus
- Varicella (chickenpox)
- Lung cancer screening (for adults considered high risk)
- Obesity screening and counseling
- Sexually transmitted infection (STI) prevention counseling
- Syphilis screening
- Tobacco Use screening

Preventive care services for women

- Breast cancer genetic test counseling – BRCA (for women considered high risk)
- Breast cancer mammography screenings (every 1-2 years for women 40+)
- Breast cancer chemoprevention counseling (for women considered high risk)
- Cervical cancer screening
- Chlamydia infection screening
- Domestic and interpersonal violence screening and counseling
- Gonorrhea screening
- HIV screening and counseling
- Human Papillomavirus (HPV) screening (for women 30+ with normal cytology results)
- Osteoporosis screening (for women 60+)
- Rh incompatibility screening and follow-up testing (for women considered high risk)
- Sexually transmitted infection (STI) counseling
- Syphilis screening
- Tobacco use screening and interventions
- Well-woman visits to get recommended services (for women under 65)

Preventive care services for women who are pregnant or trying to become pregnant

- Routine anemia screening

- Comprehensive breastfeeding support and counseling
- Access to breastfeeding supplies for both pregnant and nursing women
- Barrier birth control methods (e.g. diaphragms and sponges)
- Hormonal birth control methods (e.g. birth control pills and vaginal rings)
- Implanted birth control methods (e.g. intrauterine devices)
- Emergency contraception (e.g. Plan B® and ella®)
- Sterilization procedures
- Patient education and counseling
- Folic acid supplements
- Gestational diabetes screening (for women 24-28 weeks pregnant, and those at high risk of developing gestational diabetes)
- Gonorrhea screening
- Hepatitis B screening (for pregnant women at their first prenatal visit)
- Rh Incompatibility screening (for all pregnant women, and follow-up testing for women at higher risk)
- Syphilis screening
- Expanded tobacco intervention and counseling (for women who are pregnant and use tobacco)
- Urinary tract or other infection screening

Preventive care services for children

- Alcohol and drug use assessments (for adolescents)
- Autism screening (for children between 18-24 months)
- Behavioral assessments
- Blood pressure screening
- Cervical dysplasia screening (for sexually active females)
- Depression screening (for adolescents)
- Developmental screening (for children under 3)
- Dyslipidemia screening (for children considered high risk for lipid disorders)
- Fluoride chemoprevention supplements (for children who do not have access to a water source that contains fluoride)
- Gonorrhea preventive medication (for all newborns)
- Hearing screening (for all newborns)

- Height, weight, and body mass index (BMI) measurements
- Hematocrit or hemoglobin screening
- Hemoglobinopathies or sickle cell screening (for newborns)
- Hepatitis B screening (for adolescents considered high risk)
- HIV screening (for adolescents considered high risk)
- Hypothyroidism screening (for newborns)
- Immunization vaccines (coverage may depend on the specific vaccine)
 - Diphtheria, Tetanus, Pertussis (whooping cough)
 - Haemophilus influenza (flu) type b
 - Hepatitis A
 - Hepatitis B
 - Human Papillomavirus (HPV)
 - Inactivated Poliovirus
 - Influenza (flu)
 - Measles
 - Meningococcal
 - Pneumococcal
 - Rotavirus
 - Varicella (chickenpox)
- Iron supplements (for children at risk for anemia between 6-12 months)
- Lead screening (for children at risk of exposure)
- Medical history
- Obesity screening and counseling
- Oral health risk assessment (for children up to 10)
- Phenylketonuria (PKU) screening (for newborns)
- Sexually transmitted infection (STI) prevention counseling and screening (for adolescents considered high risk)
- Tuberculin testing (for children considered high risk)
- Vision screening